


MPO/MTP® Patchcords - Premium



Description:

GoFoton's MPO/MTP® multi-fiber jumpers deliver the performance and reliability needed in today's demanding high-speed broadband and data networks. GoFoton's MPO/MTP® jumpers utilize precision ferrules, precise housing dimension and metal guide pins to ensure fiber positioning when mating and give excellent performance. MPO/MTP® Push/Pull Tabs for high density applications are available in bags of 10 pcs .

GoFoton's MPO/MTP® are tested by Telcordia for compliance with GR-1435, Verizon TPR.9431, IEC-61754-7 and EIA/ TIA-604-5. We manufacture a wide variety of singlemode and multimode optical fiber jumpers for telecom and data center applications. Our state of the art manufacturing process is recognized by leading global service providers as one of the best in the industry. We attribute our success to the highly dedicated and skilled production team which starts by selecting only the highest quality fiber and connector components. Each of our valued technicians is expertly trained in assembling and polishing connectors to near perfection. With a relentless commitment to quality, we offer only products meeting and exceeding unsurpassed optical performance. Remarkably, we do this while maintaining a highly efficient production operation which

Applications:

- Telecommunication Networks
- Data Communication Networks
- Optical System Access Networks
- Broadband / CATV Networks

Superior Quality and Performance:

- Every connector termination we make is 100% tested prior to shipping to confirm that it meets our highest performance standards.
- Four wavelength testing ensures that your jumpers will support the demanding requirements for 10G/40G/100G transmission and next generation PON deployment.
- All jumpers are free of hazardous substances in compliance with RoHS 2002/95/EG
- Verizon TPR-9431, IEC-61754-7 and EIA/TIA-604-5 Compliant, Telcordia GR-1435-CORE Tested



MPO/MTP® Patchcords - Premium

Product Specification:

Parameters		Specification	Unit
Operating Wavelength	Singlemode	1310/1550	nm
	Multimode	850/1300	nm
Maximum Insertion Loss	Singlemode APC	0.30	dB
	Multimode UPC	0.30	
Minimum Return Loss	Singlemode APC	65	dB
	Multimode UPC	28	
Fiber Type	Follow PN Description		
Connector Type	Follow PN Description		
Length	Follow PN Description		m
Length Tolerance	± 2		%
Jacket Type	Flat Cable / Round Cable	OFNP / OFNR	
Jacket Diameter	Follow PN Description		mm
Jacket Color	Yellow	SMF G652 and G657 Fiber	
	Orange	OM1 62.5/125 um, OM2 50/125um	
	Aqua	OM3 50/125um, OM4 50/125um	



MPO/MTP® Push/Pull Tabs

Available in bags of 10pcs.


Without fail, our jumper cables are fully compliant with Telcordia GR-1435-CORE, Issue 2 which requires performance characterization and testing at 1310nm, 1490nm, 1550nm, and 1625nm. Four wavelength testing ensures that your jumpers will support the demanding requirements for 10G/40G/100G transmission and next generation PON deployment.

Schematic Diagrams:

Environmental Condition:


Parameters	Unit	Specification	
		Min.	Max.
Uncontrolled Environment	°C	-40	75
Controlled Environment	°C	-10	60

Go!Foton jumpers will give you the peace of mind that the foundation on which you build your network is capable of exceeding the ever demanding expectations of your customers. Don't settle for secondbest!



MPO/MTP® Patchcords - Premium

Ordering Information:



Example OrderCode:

MDD4F5GM003

Description: 12F MPO-MPO Female,
3.0mm Patch Cord, G657.B3 SMF,
3M length, Riser

All of our cable assemblies may be custom configured as required for your specific applications. If you do not see what you are looking for, please contact one of our below customer care specialists or send an email to CustomerService@gofoton.com.

All connectors are not created equal. How do you know if your jumpers will go the distance? Our quality components and quality process is backed by a team of experts who know how fundamental jumper cables are to maintaining reliable network operations. We back up all of our claims with product performance testing and auditing of our manufacturing facility by Telcordia Technologies.

